



WASH A 28

Washing solvent for sheet fed machines

Working instructions

Manual use : blankets

- Apply the product with a cloth, covering uniformly the whole surface.
- Wipe with a cloth or wet sponge.

Manual use : ink rollers

- Apply the pure solvent on milling rollers.
- Let it act, then set in action the blade.
- Repeat the application up to the complete cleaning of the milling rollers.
- At the end of washing, rinse with water.

Important

- Do not use on EPDM rubber .

Main characteristics :

- Hydromiscible solvent.
- Soft typical smell, medium volatility and excellent cleaning power
- Free from chlorinated compounds.
- Compatible with most offset plates
- It avoids oxidation and NBR rubbers swelling.

Safety

Read Safety Data Sheet before using this product

Packing

20 litres cans
200 litres drum

Storage

- Store at room temperature, in dry and well-aired place
- Keep far from heat and direct sunlight
- Storage time : 24 months from production date.

Waste

If possible collect and send them to an authorized waste management firm, in compliance with local and national regulations.

Properties

Chemical characteristics	Appearance	Yellow liquid
	Classification	All
	Flash point	40°C
	Density (25°C)	0,820 Kg/lt
	Organic Volatile Compounds (VOC)	99%

Printing machine	Continuous form	v
	Rotary press <u>without</u> oven (Cold-set)	NO
	Rotary press <u>with</u> oven (Heat-set)	NO
	Sheet fed	v
	Ink	Traditional

Applica tion	Ink removal	high
	Drying speed	middle
	Hydro-miscible	v

Too long contact on plates or too excessive wipe can damage the image.

The information given in this sheet is to be considered reliable and is provided in good faith but without guarantee.

Subject to change without notice.



imaf S.p.A.

Industria Materiali Fotochimici
Via Galvani, 2 - 20068 Peschiera Borromeo (MI)
Email: info@imaf.it - internet : www.imaf.it
Tel. ++39 0255302615 - ++39 0255302643